

Lirika is a simple, compact and performing machine, ideal for the office and small Ho.Re.Ca. venues.

It has modern and essential lines, high capacity water and coffee tanks and is incredibly easy to use.

Lirika, Lirika Plus and Lirika OTC are the best expression of Saeco know-how, in three versions that offer a concentrated mix of top quality and performance.

The wide display (in the OTC version with completely redesigned icons) allows the user to choose espresso or coffee and hot water or steam delivered through an independent wand (steam not available in the OTC version).

They can also prepare creamy and tasty cappuccinos and latte macchiato, also with the "One Touch" system in Lirika OTC, thanks to the innovative "Pinless Wonder" cappuccinatore.

All the models are characterised by the pre-brewing system, a Class A boiler, ceramic blades and a removable brewing unit (with aroma intensity calibration in the OTC and Plus versions), to facilitate cleaning and maintenance activities.





THE BEST CAPPUCCINO WITH ONE TOUCH.

"One Touch Cappuccino" is Saeco's exclusive system for brewing a perfect cappuccino or latte macchiato, in the best Italian tradition, thanks to the special cappuccinatore, the "Pinless Wonder".

An innovative system, mounted only on the Lirika OTC version, that creates a delightful foam, collecting milk directly from its pack or from the fridge, as required in B2B applications.

In this way, the "One Touch Cappuccino" system delivers creamy cappuccinos or latte macchiato directly in your cup.

In addition, Lirika OTC has a "Mini-Clean" function: after every milk delivery, the system asks whether to activate the self-cleaning procedure with about 20 cc of hot water.

LIRIKA. A CLOSE LOOK.



User-friendly

professional interface

Milk Cooler



Milk Cooler to keep milk fresh, with a capacity of 1 litre.

The cooling is generated by a Peltier cooling system with no CFCs.

It can be combined with both Aulika and Lirika models.

Technical data

Dimensions (w x h x d)
Weight
Power supply
Power consumption
Capacity

 $150 \times 215 \times 190 \text{ mm}$

1.7 kg 100-240 V/50-60 Hz

20 W

Lirika Tuono Cappuccinatore



Tuono cappuccinatore to be mounted on the steam wand for the frothing of creamy cappuccinos and milk drinks.

It can be used also in combination with the Milk Cooler.







Lirika is a simple, compact and performing machine, ideal for the office and small Ho.Re.Ca. venues.

It has modern and essential lines, high capacity water and coffee

Lirika, Lirika Plus and Lirika OTC are the best expression of Saeco know-how, in three versions that offer a concentrated

The wide display (in the OTC version with completely redesigned icons) allows the user to choose espresso or coffee and hot water or steam delivered through an independent wand (steam not available in the OTC version).

They can also prepare creamy and tasty cappuccinos and latte macchiato, also with the "One Touch" system in Lirika OTC, thanks to the innovative "Pinless Wonder" cappuccinatore.

All the models are characterised by the pre-brewing system, a Class A boiler, ceramic blades and a removable brewing unit (with aroma intensity calibration in the OTC and Plus versions), to facilitate cleaning and maintenance activities.













Main features

- One-Touch Cappuccino (OTC version)
- Saeco brewing unit, with adjustable strength (OTC and Plus versions)
- State of the art interface: 3 colours graphic display (2 colours in the OTC version) with clear buttons
- Extensive programmation menu, easy to be set
- Professional homologation
- High capacity: 2,5 I water, 500 gr coffee beans
- Very slim (only 21.5 cm wide)









Technical data	Lirika OTC	Lirika Plus	Lirika
Structural specifications			
Dimensions ($w \times h \times d$)	215 × 370 × 429 mm	215 × 370 × 429 mm	215 × 370 × 429 mm
Weight	8 kg	8 kg	8 kg
Colour	dark grey	silver / black	black
Chassis	painted ABS with metal grid	painted ABS with metal grid	ABS with metal grid
Electrical specifications			
Power supply	220-240 V/50-60 Hz	220-240-120 V/50-60 Hz	220-240-120 V/50-60 Hz
Absorbed power	1850 W	1850 W	1850 W
Water specifications			
Boiler material	stainless steel	stainless steel	stainless steel
Hydraulic system	single circuit	single circuit	single circuit
Hot water / steam wand	dedicated hot water wand (no steam)	with Tuono	with pannarello
Pump pressure	15 bar	15 bar	15 bar
Water connections			
Water supply	independent tank	independent tank	independent tank
Water supply connection	no	no	no
Capacities			
Coffee beans container	500 gr	500 gr	500 gr
Water tank	2.5 l, removable	2.5 I, removable	2.5 I, removable
Coffee grounds capacity	15	15	15
Other specifications			
Cappuccinatore	Pinless Wonder, completely automatic	Tuono on the steam wand	pannarello on the steam wand
Brewing group	removable	removable	removable
Coffee grinder	with ceramic blades	with ceramic blades	with ceramic blades
Grinder setting	yes	yes	yes
Coffee strength adjustment	yes (light 6.5, medium 8, strong 10)	yes (light 6.5, medium 8, strong 10)	aroma fixed
Electronic pre-infusion	yes	yes	yes
Simultaneous dispensing of 2 coffee cups	yes	yes	yes
Coffee dispensers height adjustment	yes (105-145 mm)	yes (105-145 mm)	yes (105-145 mm)
Possibility of using latte macchiato glasses (14 cm)	yes	yes	yes
Drip tray	removable	removable	removable
Number of direct selections	4	4	4
Beverages	espresso, coffee, cappuccino, latte macchiato (direct selections), hot water and milk (from menu)	espresso, coffee, hot water, steam	espresso, coffee, hot water, steam
Descaling	manual	manual	manual
Mini-Clean function	yes	no	no
Interface	, , , , , , , , , , , , , , , , , , ,		
Graphic display with icons and text messages	yes	yes	yes
Programmation menu	access by dedicated button	access by dedicated button	yes
One touch cappuccino / latte macchiato	yes	no	no
Certifications	· · ·		
Energy class	А	А	А
Approval pursuant to the 60335-2-75 professional standard	yes	yes	yes